

TOOLS CATALOG

"Quality The First Time"





TABLE OF CONTENTS

TOOL SELECTION GUIDE	4 - 7
HAND TOOLS FOR BLIND RIVETS	
GO-2 & GO-3	8
GO-55 & GO-360	9
GO-40 & GO-25-SN	10
GO-39	11
GO-12-R	12
HAND TOOLS FOR BLIND RIVET NUTS	
GO-35 & GO-35-UN	13
GO-510 & GO-510-UN	14
GO-520 & GO-520-UN	15
GO-12-N	16
HAND TOOLS FOR PIN & COLLAR	
GO-12-P	17
PNEUMATIC TOOLS FOR BLIND RIVETS	
AIRPOWER 1 & AIRPOWER 2	18
AIRPOWER 3	19
PNEUMATIC TOOLS FOR BLIND RIVET NUTS	
AIRPOWER 4	19
AIRPOWER 5	20
CORDLESS TOOLS FOR BLIND RIVETS	
GO-100	21
GO-BR1	22 - 23
GO-100+	24
GO-TR1	25 - 26
GO-200	27
GO-BR2	28 - 29
CORDLESS TOOLS FOR BLIND RIVET NUTS	
GO-300-UN	30
GO-RN1	31 - 32
GO-RN2	33 - 34
GO-SN1	35 - 36
CORDLESS TOOLS FOR PIN & COLLAR	
GO-400	37
GO-LB1	38 - 39
GO-HX1	40 - 41



TOOL SELECTION GUIDE



			BLIND RIVETS					
			STANDARD BLIND RIVETS, MULTI-GRIP, TRI-FOLDING, SPECIAL BLIND RIVETS					
			3/32" 2.4 mm	1/8" 3.2 mm	5/32" 4.0 mm	3/16" 4.8 mm	1/4" 6.4 mm	9/32" 7.5 mm
HAND	GO-2							
	GO-3							
	GO-55					AS		
	GO-360				AS	AS		
	GO-40							
	GO-25-SN							
	GO-39							
	GO-12-R							
PNEUMATIC HYDRAULIC	AIRPOWER 1							
	AIRPOWER 2							
	AIRPOWER 3							
CORDLESS	GO-100							
	GO-BR1							
	GO-100+					*	*	*
	GO-TR1					*	*	*
	GO-200							
	GO-BR2							

A: ALUMINUM / COPPER
S: STEEL
I: INOX

BLUE FIELD: RECOMMENDED WORKING RANGE (ASI)
SPECIFICS ARE INDICATED BY RELEVANT LETTERS
* = SPECIAL NOSE PIECE REQUIRED FOR SETTING

Subject to modifications



TOOL SELECTION GUIDE

			SEMI-STRUCTURAL BLIND RIVETS							
			GO-BULB II				GO-INOX II			
			1/8" 3.2 mm	5/32" 4.0 mm	3/16" 4.8 mm	.236" 6.0 mm	1/8" 3.2 mm	5/32" 4.0 mm	3/16" 4.8 mm	
HAND	GO-40									
	GO-25-SN									
	GO-12-R									
	GO-39									
PNEUMATIC HYDRAULIC	AIRPOWER 1									
	AIRPOWER 2									
	AIRPOWER 3									
CORDLESS	GO-100									
	GO-BR1									
	GO-200									
	GO-BR2									

			STRUCTURAL BLIND RIVETS							
			GO-LOCK		M-LOCK		H-LOCK	PREMIUM		
			3/16" 4.8 mm	1/4" 6.4 mm	3/16" 4.8 mm	1/4" 6.4 mm	1/4" 6.4 mm	3/16" 4.8 mm	1/4" 6.4 mm	
HAND	GO-40			AS	*	* AS	AS			AS
	GO-25-N			AS	*	* AS	AS			AS
	GO-12-R			A						A
	GO-39				*	*				
PNEUMATIC HYDRAULIC	AIRPOWER 1		A					A		
	AIRPOWER 2			A						A
	AIRPOWER 3				*	*				
CORDLESS	GO-100			A						
	GO-BR1									
	GO-200				*	*				
	GO-BR2				*	*				

A: ALUMINUM / COPPER
S: STEEL
I: INOX

BLUE FIELD: RECOMMENDED WORKING RANGE (ASI)
SPECIFICS ARE INDICATED BY RELEVANT LETTERS
* = SPECIAL NOSE PIECE REQUIRED FOR SETTING

Subject to modifications



TOOL SELECTION GUIDE

			BLIND RIVET NUTS							
			M3	M4	M5	M5	M6	M8	M10	M12
HAND	GO-35						AS			
	GO-510									AS
	GO-520									AS
			6 - 32	8 - 32	10 - 24	10 - 32	1/4" - 20	5/16" - 18	3/8" - 16	1/2" - 13
	GO-35-UN						AS			
	GO-12-N									
	GO-510-UN									AS
	GO-520-UN									AS
PNEUM. HYDR.			M3	M4	M5	M5	M6	M8	M10	M12
	AIRPOWER 4									AS
			6 - 32	8 - 32	10 - 24	10 - 32	1/4" - 20	5/16" - 18	3/8" - 16	1/2" - 13
										AS
			M3	M4	M5	M5	M6	M8	M10	M12
	AIRPOWER 5									
			6 - 32	8 - 32	10 - 24	10 - 32	1/4" - 20	5/16" - 18	3/8" - 16	1/2" - 13
CORDLESS			M3	M4	M5	M5	M6	M8	M10	M12
	GO-300-UN									AS
			6 - 32	8 - 32	10 - 24	10 - 32	1/4" - 20	5/16" - 18	3/8" - 16	1/2" - 13
										AS
			M3	M4	M5	M5	M6	M8	M10	M12
	GO-RN1									
			6 - 32	8 - 32	10 - 24	10 - 32	1/4" - 20	5/16" - 18	3/8" - 16	1/2" - 13
			M3	M4	M5	M5	M6	M8	M10	M12
	GO-RN2									
			6 - 32	8 - 32	10 - 24	10 - 32	1/4" - 20	5/16" - 18	3/8" - 16	1/2" - 13
			M3	M4	M5	M5	M6	M8	M10	M12
	GO-SN1									
			6 - 32	8 - 32	10 - 24	10 - 32	1/4" - 20	5/16" - 18	3/8" - 16	1/2" - 13

A: ALUMINUM / COPPER
S: STEEL
I: INOX

BLUE FIELD: RECOMMENDED WORKING RANGE (ASI)
SPECIFICS ARE INDICATED BY RELEVANT LETTERS
* = SPECIAL NOSE PIECE REQUIRED FOR SETTING



TOOL SELECTION GUIDE

 GOEBEL Fasteners Inc. innovative fastener solutions			PIN & COLLAR			
			3/16" 4.8 mm	1/4" 6.4 mm	5/16" 8.0 mm	3/8" 9.6 mm
HAND	GO-12-P					
CORDLESS	GO-400					
	GO-LB1					

A: ALUMINUM / COPPER

S: STEEL

I: INOX

BLUE FIELD: RECOMMENDED WORKING RANGE (ASI)


SPECIFICS ARE INDICATED BY RELEVANT LETTERS

* = SPECIAL NOSE PIECE REQUIRED FOR SETTING



GO-2 - HAND RIVET TOOL

AUTOMATIC EJECTION OF RETAINED MANDREL AFTER SETTING BLIND RIVET




RIVETING CAPACITY FOR BLIND RIVETS

ø 3/32" up to 3/16"

ø 2.4 up to 4.8 mm


All Materials



WEIGHT	1.15 lbs	0.52 kg
LENGTH	9 - 1/2"	243 mm
EQUIPMENT	INCLUDES FOUR MOUNTED NOSEPIECES (3/32", 1/8", 5/32", 3/16") AND A SERVICE WRENCH	2.4, 3.2, 4.0, 4.8 mm
MATERIAL	HIGH STRENGTH ALUMINUM BODY WITH FORGED STEEL UPPER HANDLE	
ITEM CODE	22900 00020	

GO-3 - HAND RIVET TOOL

AUTOMATIC EJECTION OF RETAINED MANDREL AFTER SETTING BLIND RIVET



RIVETING CAPACITY FOR BLIND RIVETS

ø 3/32" up to 3/16"

ø 2.4 up to 4.8 mm

All Materials




WEIGHT	1.32 lbs	0.60 kg
LENGTH	10 - 1/4"	260 mm
EQUIPMENT	INCLUDES FOUR MOUNTED NOSEPIECES (3/32", 1/8", 5/32", 3/16") AND A SERVICE WRENCH	2.4, 3.2, 4.0, 4.8 mm
MATERIAL	HIGH STRENGTH ALUMINUM BODY WITH FORGED CR-MO STEEL UPPER HANDLE	
ITEM CODE	22900 00030	

Subject to modifications



GO-55 - HAND RIVET TOOL

AUTO HOLD DESIGN KEEPS MANDREL GRIPPED IN ANY POSITION



RIVETING CAPACITY FOR BLIND RIVETS

ø 3/32" up to 5/32"

ø 2.4 up to 4.0 mm

All Materials

ø 3/16"

ø 4.8 mm


Aluminum / Steel



WEIGHT	1.17 lbs	0.53 kg
LENGTH	9 - 1/4"	235 mm
EQUIPMENT	INCLUDES FOUR MOUNTED NOSEPIECES (3/32", 1/8", 5/32", 3/16") AND A SERVICE WRENCH	2.4, 3.2, 4.0, 4.8 mm
MATERIAL	HIGH STRENGTH ALUMINUM BODY WITH FORGED STEEL UPPER HANDLE	
ITEM CODE	22900 00550	

GO-360 - HAND RIVET TOOL

360° SWIVEL RATCHET HEAD - AUTOMATIC EJECTION OF RETAINED MANDREL AFTER SETTING BLIND RIVET



RIVETING CAPACITY FOR BLIND RIVETS

ø 3/32" up to 1/18"

ø 2.4 up to 3.2 mm

All Materials

ø 5/32"

ø 4.0 mm

Aluminum / Steel

ø 3/16"

ø 4.8 mm

Aluminum



WEIGHT	1.57 lbs	0.71 kg
LENGTH	11 - 7/16"	290 mm
EQUIPMENT	INCLUDES FOUR MOUNTED NOSEPIECES (3/32", 1/8", 5/32", 3/16") AND A SERVICE WRENCH	2.4, 3.2, 4.0, 4.8 mm
MATERIAL	HIGH STRENGTH ALUMINUM HEAD AND BODY WITH HEAVY-DUTY STEEL UPPER HANDLE	
ITEM CODE	22900 03600	

Subject to modifications




GO-40 - HEAVY DUTY LEVER TYPE HAND RIVET TOOL

HIGH LEVERAGE DESIGN TO REDUCE GRIP FORCE PRESSURE - INCLUDES SPENT MANDREL CONTAINER

RIVETING CAPACITY FOR BLIND RIVETS
 $\varnothing$ 1/8" up to 1/4"
 $\varnothing$ 3.2 up to 6.4 mm
 All Materials

FOR STRUCTURAL BLIND RIVETS
 $\varnothing$ 3/16"
 $\varnothing$ 4.8 mm
 All Materials
 $\varnothing$.236", 1/4"
 $\varnothing$ 6.0, 6.4 mm
 Aluminum / Steel



WEIGHT	3.77 lbs	1.71 kg
LENGTH	21"	533 mm
EQUIPMENT	INCLUDES FIVE STANDARD NOSEPIECES (1/8", 5/32", 3/16", .236", 1/4") AND SERVICE WRENCH	
MATERIAL	ROBUST STRUCTURE WITH HIGH STRENGTH ALUMINUM BODY & LARGE STEEL HANDLES	
ITEM CODE	22900 00400	

GO-25-SN - HEAVY DUTY LAZY TONG RIVET TOOL

4-JOINTED SLIDE BLOCK BEARING DESIGN REDUCES MANUAL EXERTION

RIVETING CAPACITY FOR BLIND RIVETS
 $\varnothing$ 1/8" up to 1/4"
 $\varnothing$ 3.2 up to 6.4 mm
 All Materials

FOR STRUCTURAL BLIND RIVETS
 $\varnothing$ 3/16"
 $\varnothing$ 4.8 mm
 All Materials
 $\varnothing$.236", 1/4"
 $\varnothing$ 6.0, 6.4 mm
 Aluminum / Steel




WEIGHT	4.28 lbs	1.94 kg
LENGTH	(CLOSED) 12 - 5/8" / (OPENED) 32 - 1/4"	320 / 820 mm
EQUIPMENT	INCLUDES FIVE STANDARD NOSEPIECES (1/8", 5/32", 3/16", .236", 1/4")	
MATERIAL	HIGH STRENGTH ALUMINUM BODY AND HANDLE	
ITEM CODE	22900 00250	

Subject to modifications

GO-39 - SUPER HEAVY DUTY HAND RIVET TOOL

HIGH LEVERAGE 3-GEAR SYSTEM DESIGN SIGNIFICANTLY REDUCES GRIP FORCE PRESSURE




RIVETING CAPACITY FOR BLIND RIVETS
 $\varnothing$ 5/32" up to 1/4"
 $\varnothing$ 4.0 up to 6.4 mm
All Materials
FOR STRUCTURAL BLIND RIVETS
 $\varnothing$ 3/16" up to 1/4"
 $\varnothing$ 4.8 up to 6.4 mm
All Materials

WEIGHT	3.92 lbs	1.78 kg
LENGTH	22"	560 mm
EQUIPMENT	INCLUDES THREE STANDARD NOSEPIECES (5/32", 3/16", 1/4") PLUS TWO MONOBOLT® NOSEPIECES (3/16", 1/4") AND A SERVICE WRENCH	4.0, 4.8, 6.4 mm 4.8, 6.4 mm
MATERIAL	HIGH STRENGTH 1-PIECE ALUMINUM BODY & LARGE STEEL HANDLES	
ITEM CODE	22900 00390	





GO-12-R SET - HAND RATCHET TOOL FOR BLIND RIVETS



WEIGHT	2.32 lbs	1.05 kg
L x H	7.28" x 8.15"	185 x 207 mm
EQUIPMENT	INCLUDES FIVE STANDARD NOSEPIECES (1/8", 5/32", 3/16", .236", 1/4") AND JAWS	
MATERIAL	FORGED STEEL	
ITEM CODE	22450 00200	




OPTIONAL PARTS

NOSE PIECES	3/32"	2.4 mm
-------------	-------	--------



GO-35 - HAND RIVET NUT TOOL

FEATURES QUICK CHANGE THREADED MANDRELS & SINGLE STROKE ADJUSTMENT FUNCTION



RIVETING CAPACITY FOR BLIND RIVET NUTS


M3 - M5
All Materials
M6
Aluminum / Steel



WEIGHT	1.50 lbs	0.68 kg
LENGTH	10 - 1/4"	260 mm
EQUIPMENT	INCLUDES FOUR THREADED MANDRELS (M3 - M6) AND A SERVICE WRENCH	
MATERIAL	HIGH STRENGTH ALUMINUM BODY WITH FORGED CR-MO STEEL ALLOY UPPER HANDLE	
ITEM CODE	22900 00350	

GO-35-UN - HAND RIVET NUT TOOL

FEATURES QUICK CHANGE THREADED MANDRELS & SINGLE STROKE ADJUSTMENT FUNCTION



RIVETING CAPACITY FOR BLIND RIVET NUTS

6 - 32 ~ 10 - 24, 10 - 32
All Materials
1/4" - 20
Aluminum / Steel




WEIGHT	1.50 lbs	0.68 kg
LENGTH	10 - 1/4"	260 mm
EQUIPMENT	INCLUDES FIVE THREADED MANDRELS (6-32, 8-32, 10-24, 10-32, 1/4-20) AND A SERVICE WRENCH	
MATERIAL	HIGH STRENGTH ALUMINUM BODY WITH FORGED CR-MO STEEL ALLOY UPPER HANDLE	
ITEM CODE	22900 00351	

Subject to modifications



GO-510 - HEAVY DUTY HAND RIVET NUT TOOL

HIGH LEVERAGE DESIGN REDUCES GRIP FORCE PRESSURE & INCREASES RIVETING POWER



RIVETING CAPACITY FOR BLIND RIVET NUTS
M4 - M10
All Materials
M12
Aluminum / Steel
DETACHABLE & EXCHANGEABLE QUICK-DRILL UNIT






WEIGHT	4.61 lbs	2.09 kg
LENGTH	20 - 7/8"	530 mm
ABS CASE	23 - 1/4" x 10 - 5/8" x 2 - 3/8"	590 x 270 x 60 mm
EQUIPMENT	INCLUDES FIVE THREADED MANDRELS (M5 - M12) PLUS FIVE NOSEPIECES (M5 - M12) AND A SERVICE WRENCH	
MATERIAL	HIGH STRENGTH ALUMINUM BODY & LARGE STEEL HANDLES	
ITEM CODE	22900 05100	

GO-510-UN - HEAVY DUTY HAND RIVET NUT TOOL

HIGH LEVERAGE DESIGN REDUCES GRIP FORCE PRESSURE & INCREASES RIVETING POWER



RIVETING CAPACITY FOR BLIND RIVETS NUTS
8 - 32 ~ 3/8-16 UNC
All Materials
1/2-13UNC
Aluminum / Steel
DETACHABLE & EXCHANGEABLE QUICK-DRILL UNIT






WEIGHT	4.61 lbs	2.09 kg
LENGTH	20 - 7/8"	530 mm
ABS CASE	23 - 1/4" x 10 - 5/8" x 2 - 3/8"	590 x 270 x 60 mm
EQUIPMENT	INCLUDES SIX THREADED MANDRELS (10-24 ~ 1/2-13) PLUS FIVE NOSEPIECES (#10, 1/4", 5/16", 3/8", 1/2") AND A SERVICE WRENCH	
MATERIAL	HIGH STRENGTH ALUMINUM BODY & LARGE STEEL HANDLES	
ITEM CODE	22900 05101	

Subject to modifications

GO-520 - HEAVY DUTY HAND RIVET NUT TOOL

HIGH LEVERAGE DESIGN REDUCES GRIP FORCE PRESSURE & INCREASES RIVETING POWER



WEIGHT	4.61 lbs	2.09 kg
LENGTH	20 - 7/8"	530 mm
ABS CASE	23 - 1/4" x 10 - 5/8" x 2 - 3/8"	590 x 270 x 60 mm
EQUIPMENT	INCLUDES FIVE THREADED MANDRELS (M5 - M12) PLUS FIVE NOSEPIECES (M5 - M12) AND A SERVICE WRENCH	
MATERIAL	HIGH STRENGTH ALUMINUM BODY & LARGE STEEL HANDLES	
ITEM CODE	22900 05200	



GO-520-UN - HEAVY DUTY HAND RIVET NUT TOOL

HIGH LEVERAGE DESIGN REDUCES GRIP FORCE PRESSURE & INCREASES RIVETING POWER




WEIGHT	4.61 lbs	2.09 kg
LENGTH	20 - 7/8"	530 mm
ABS CASE	23 - 1/4" x 10 - 5/8" x 2 - 3/8"	590 x 270 x 60 mm
EQUIPMENT	INCLUDES SIX THREADED MANDRELS (10-24 ~ 1/2-13) PLUS FIVE NOSEPIECES (#10, 1/4", 5/16", 3/8", 1/2") AND A SERVICE WRENCH	
MATERIAL	HIGH STRENGTH ALUMINUM BODY & LARGE STEEL HANDLES	
ITEM CODE	22900 05201	





GO-12-N SET - HAND RATCHET TOOL FOR BLIND RIVET NUTS



RIVETING CAPACITY FOR BLIND RIVET NUTS

6-32 UNC up to 1/2-13 UNC

All Materials



WEIGHT	2.51 lbs	1.14 kg
L x H	8.27" x 8.15"	210 x 207 mm
EQUIPMENT	INCLUDES MANDRELS AND ANVILS (10-24 UNC, 10-32 UNF, 1/4-20 UNC, 5/16-18 UNC, 3/8-16 UNC, 1/2-13 UNC)	
MATERIAL	FORGED STEEL	
ITEM CODE	22450 01100	



OPTIONAL PARTS

MANDRELS AND ANVILS	6-32 ~ 1/2-13	M3 ~ M12
RIVBOLT PULLERS	6-32 ~ 5/16-18	M3 ~ M8




METRIC EQUIPMENT SET

MANDRELS & ANVILS	M5, M6, M8, M10, M12
ITEM CODE	22700 00218

Subject to modifications

GO-12-P SET - HAND RATCHET TOOL FOR PIN & COLLAR



CAPACITY FOR PIN & COLLAR

ø 3/16" up to 1/4"

ø 4.8 up to 6.4 mm

All Materials



WEIGHT	2.43 lbs	1.1 kg
L x H	7.32" x 8.15"	186 x 207 mm
EQUIPMENT	INCLUDES NOSEPIECE FOR 1/4" (ACCORDING TO "C6L" - STANDARD)	6.4 mm
MATERIAL	FORGED STEEL	
ITEM CODE	22450 00300	



OPTIONAL PARTS

NOSE PIECES (*ACCORDING "C6L"-STANDARD)	3/16"	4.8 mm
ITEM CODE	2266000110	




OPTIONAL PARTS

NOSE PIECES (*ACCORDING "MULTI-GRIP"-STANDARD)	3/16"	4.8 mm
ITEM CODE	2266000109	

NOSE PIECES (*ACCORDING "MULTI-GRIP"-STANDARD)	1/4"	6.4 mm
ITEM CODE	2266000108	




AIRPOWER 1 - PNEUMATIC/HYDRAULIC BLIND RIVET SETTING TOOL

		
RIVETING CAPACITY FOR BLIND RIVETS $\varnothing$ 3/32" up to 3/16" $\varnothing$ 2.4 up to 4.8 mm All Materials		
WEIGHT	2.76 lbs	1.25 kg
L x H	10.71" x 10.39"	272 x 264 mm
EQUIPMENT	INCLUDES THREE MOUNTED NOSEPIECES (1/8", 5/32", 3/16") AND A SERVICE WRENCH	
STROKE	0.67"	17 mm
PULLING FORCE	1641 (@ 87 psi)	7.3 kn (@ 6.0 bar)
WORKING AIR PRESSURE	72.5 - 100 psi	5 - 7 bar
MATERIAL	ABS	
ITEM CODE	22441 00001	




AIRPOWER 2 - PNEUMATIC/HYDRAULIC BLIND RIVET SETTING TOOL

		
RIVETING CAPACITY FOR BLIND RIVETS NUTS $\varnothing$ 5/32" up to 1/4" $\varnothing$ 4.0 up to 6.4 mm All Materials		
WEIGHT	3.64 lbs	1.65 kg
L x H	10.71" x 10.83"	272 x 275 mm
EQUIPMENT	INCLUDES FOUR MOUNTED NOSEPIECES (5/32", 3/16", .236", 1/4") AND A SERVICE WRENCH	
STROKE	0.83"	21 mm
PULLING FORCE	2810 (@ 87 psi)	12.5 kn (@ 6.0 bar)
WORKING AIR PRESSURE	72.5 - 100 psi	5 - 7 bar
MATERIAL	ABS	
ITEM CODE	22441 00002	






AIRPOWER 3 - PNEUMATIC/HYDRAULIC SETTING TOOL FOR STRUCTURAL BLIND RIVETS

			RIVETING CAPACITY FOR BLIND RIVETS ø 3/16" up to 1/4" ø 4.8 up to 6.4 mm All Materials	
WEIGHT	4.41 lbs	2.0 kg		
L x H	11.10" x 11.58"	282 x 294 mm		
EQUIPMENT	INCLUDES TWO MOUNTED NOSEPIECES (3/16", 1/4") AND A SERVICE WRENCH		4.8, 6.4 mm	
STROKE	1.1"	28 mm		
PULLING FORCE	3709 (@ 87 psi)	16.5 kn (@ 6.0 bar)		
WORKING AIR PRESSURE	72.5 - 100 psi	5 - 7 bar		
MATERIAL			ABS	
ITEM CODE			22441 00003	




AIRPOWER 4 - PNEUMATIC/HYDRAULIC SETTING TOOL FOR BLIND RIVET NUTS AND BOLTS

			RIVETING CAPACITY FOR BLIND RIVET NUTS 6-32 to 3/8 UNC All Materials 6-32 to 1/2-13 UNC Aluminium/ Steel	
WEIGHT	3.64 lbs	1.65 kg		
L x H	11.10" x 10.63"	285 x 270 mm		
EQUIPMENT	INCLUDES FIVE THREADED MANDRELS (6-32, 8-32, 10-24, 10-32, 1/4-20 UNC) AND A SERVICE WRENCH			
STROKE	0.28"	7 mm		
PULLING FORCE	4204 lbf (@ 87 psi)	18.7 kn (@ 6.0 bar)		
WORKING AIR PRESSURE	80-100 psi	5 - 7 bar		
MATERIAL			ABS	
ITEM CODE			22441 00004	





AIRPOWER 5 - PNEUMATIC/HYDRAULIC SETTING TOOL FOR BLIND RIVET NUTS AND BOLTS



RIVETING CAPACITY FOR BLIND RIVET NUTS
1/4-20 to 1/2-13 UNC
All Materials


WEIGHT	4.91 lbs	2.23 kg
L x H	11.41" x 11.02"	290 x 280 mm
EQUIPMENT	INCLUDES FOUR THREADED MANDRELS (1/4-20, 5/16-18, 3/8-16, 1/2-13 UNC) AND A SERVICE WRENCH	
STROKE	0.315"	8 mm
PULLING FORCE	6070 lbf (@ 87 psi)	27 kn (@ 6.0 bar)
WORKING AIR PRESSURE	80 - 100 psi	5 - 7 bar
MATERIAL	ABS	
ITEM CODE	22441 00050	



Subject to modifications



GO-100 - LITHIUM-ION CORDLESS RIVET TOOL



RIVETING CAPACITY FOR BLIND RIVETS

ø 3/32" up to 3/16"

ø 2.4 up to 4.8 mm

All Materials



WEIGHT	3.75 lbs	1.7 kg
L x H	10.75" x 11.22"	273 x 285 mm
STROKE	0.80"	20 mm
PULLING FORCE	2698 lbf	12.0 kn
MATERIAL	PE	
ITEM CODE	22660 10101	



INCLUDED EQUIPMENT SET

NOSE PIECES	3/32", 1/8", 5/32", 3/16"	2.4, 3.2, 4.0, 4.8 mm
QUICK CHANGE BATTERY	Li-Ion 14.4 V / 1.4 Ah	
CHARGER	14.4 V Li-Ion	
ABS CASE	1.48' x 1.15' x .36'	45 x 35 x 11 cm

Subject to modifications




18V



BRUSHLESS MOTOR



GO-BR1 LITHIUM-ION CORDLESS RIVET TOOL



RIVETING CAPACITY FOR BLIND RIVETS

ø 1/8" up to 3/16"

ø 3.2 up to 4.8 mm

All Materials



WEIGHT	WEIGHT INCL. BATTERY	3.08 lbs	1.4 kg
L x H		9.72" x 9.84"	247 x 250 mm
STROKE (B / S)		B = 0.83" / S = 0.59"	(B = 26 mm / S = 18 mm)
PULLING FORCE		2698 lbf	12.0 kn
MATERIAL			PE
ITEM CODE			22770 10010



INCLUDED EQUIPMENT SET

NOSE PIECES	1/8", 5/32", 3/16"	3.2, 4.0, 4.8 mm
QUICK CHANGE BATTERY		Li-Ion 18 V / 2.0 Ah
CHARGER		18 V Li-Ion
ABS CASE	1.24" x 0.98" x .26"	38 x 30 x 8 cm

GO-BR1 LITHIUM-ION CORDLESS RIVET TOOL



DELIVERED WITH:




WATCH VIDEO HERE:





GO-100+ - LITHIUM-ION CORDLESS RIVET TOOL



**RIVETING CAPACITY
FOR TRIPLE CLAW BLIND RIVETS**

ø 3/16", 1/4", 9/32"

ø 5.2, 6.4, 7.5 mm

Aluminum



WEIGHT	3.75 lbs	1.7 kg
L x H	10.75" x 11.22"	273 x 285 mm
STROKE	0.80"	20 mm
PULLING FORCE	2698 lbf	12.0 kn
MATERIAL	PE	
ITEM CODE	22660 12101	




INCLUDED EQUIPMENT SET

NOSE PIECES	3/16", 1/4", 9/32"	5.2, 6.4, 7.5 mm
QUICK CHANGE BATTERY	Li-Ion 14.4 V / 1.4 Ah	
CHARGER	14.4 V Li-Ion	
ABS CASE	1.48" x 1.15" x .36"	45 x 35 x 11 cm

Subject to modifications

GO-TR1 LITHIUM-ION CORDLESS RIVET TOOL



RIVETING CAPACITY FOR TRIPLE CLAW BLIND RIVETS

ø 3/16", 1/4", 9/32"

ø 5.2, 6.4, 7.5 mm

Aluminum



WEIGHT WEIGHT INCL. BATTERY	3.08 lbs	1.4 kg
L x H	9.72" x 9.84"	247 x 250 mm
STROKE (B / S)	(B = 1.02" / S = 0.71")	(B = 26 mm / S = 18 mm)
PULLING FORCE	2698 lbf	12.0 kn
MATERIAL	PE	
ITEM CODE	22770 20010	

INCLUDED EQUIPMENT SET



NOSE PIECES	3/16", 1/4", 9/32"	5.2, 6.4, 7.5 mm
QUICK CHANGE BATTERY	Li-Ion 18 V / 2.0 Ah	
CHARGER	18 V Li-Ion	
ABS CASE	1.24" x 0.98" x .26"	38 x 30 x 8 cm



18V



BRUSHLESS MOTOR



GO-TR1 LITHIUM-ION CORDLESS RIVET TOOL



DELIVERED WITH:




WATCH VIDEO HERE:





GO-200 - LITHIUM-ION CORDLESS RIVET TOOL



RIVETING CAPACITY FOR BLIND RIVETS
ø 5/32" up to 1/4"
ø 4.0 up to 6.4 mm
All Materials



WEIGHT	3.75 lbs	1.7 kg
L x H	10.75" x 11.22"	273 x 285 mm
STROKE	1.06"	27 mm
PULLING FORCE	4047 lbf	18.0 kn
MATERIAL	PE	
ITEM CODE	22660 20101	



INCLUDED EQUIPMENT SET

NOSE PIECES	5/32", 3/16", 1/4" 3/16", 1/4" (Monobolt®)	4.0, 4.8, 6.4 mm 4.8, 6.4 mm (Monobolt®)
QUICK CHANGE BATTERY	Li-Ion 14.4 V / 1.4 Ah	
CHARGER	14.4 V Li-Ion	
ABS CASE	1.48" x 1.15" x .36"	45 x 35 x 11 cm

Subject to modifications




18V



BRUSHLESS MOTOR



GO-BR2 LITHIUM-ION CORDLESS RIVET TOOL



RIVETING CAPACITY FOR BLIND RIVETS

ø 5/32" up to 1/4"

ø 4.0 up to 6.4 mm

All Materials



WEIGHT INCL. BATTERY	3.52 lbs	1.6 kg
L x H	10.19" x 9.84"	259 x 250 mm
STROKE (B / S)	(B = 1.02" / S = 0.71")	(B = 26 mm / S = 18 mm)
PULLING FORCE	4046 lbf	18.0 kn
MATERIAL	PE	
ITEM CODE	22770 10020	



INCLUDED EQUIPMENT SET

NOSE PIECES	5/32", 3/16", 1/4" 3/16", 1/4" (Monobolt®) 3/16", 1/4" (GO-Lock/Premium)	4.0, 4.8, 6.0, 6.4 mm 4.8, 6.4 mm (Monobolt®) 4.8, 6.4 mm (GO-Lock / Premium)
QUICK CHANGE BATTERY	Li-Ion 18 V / 2.0 Ah	
CHARGER	18 V Li-Ion	
ABS CASE	1.24" x 0.98" x .26"	38 x 30 x 8 cm

GO-BR2 LITHIUM-ION CORDLESS RIVET TOOL



DELIVERED WITH:




2x

WATCH VIDEO HERE:





GO-300-UN - LITHIUM-ION CORDLESS RIVET NUT TOOL



RIVETING CAPACITY FOR BLIND RIVET NUTS
6-32 ~ 1/2-13UNC
All Materials
1/2-13UNC
Aluminum / Steel



WEIGHT	3.80 lbs	1.72 kg
L x H	10.55" x 11.22"	268 x 285 mm
STROKE	.32"	8 mm
PULLING FORCE	6070 lbf	27.0 kn
MATERIAL	PE	
ITEM CODE	22660 30102	



INCLUDED EQUIPMENT SET

MANDRELS & ANVILS	10-24 UNC, 10-32 UNF, 1/4-20 UNC, 5/16-18 UNC, 3/8-16 UNC, 1/2-13 UNC	
QUICK CHANGE BATTERY	14.4 V Li-Ion / 4.0 Ah / 57.6 Wh	
CHARGER	14.4 V Li-Ion	
ABS CASE	1.48" x 1.15" x .36"	45 x 35 x 11 cm



METRIC EQUIPMENT SET


MANDRELS & ANVILS	M5, M6, M8, M10, M12	
ITEM CODE	22700 00218	

OPTIONAL PARTS

MANDRELS AND ANVILS	6-32 ~ 1/2-13	M3 ~ M12
RIVBOLT PULLERS	6-32 ~ 5/16-18	M3 ~ M8

Subject to modifications

GO-RN1 - LITHIUM-ION CORDLESS RIVET NUT TOOL



RIVETING CAPACITY FOR BLIND RIVET NUTS

6-32 ~ 5/16-18UNC

All Materials



WEIGHT	3.30 lbs	1.5 kg
L x H	10.62" x 10.23"	270 x 260 mm
STROKE ADJUSTABLE FROM / UP TO	.008" - .23"	0.2 - 6.0 mm
PULLING FORCE	4046 lbf	18.0 kn
MATERIAL	PE	
ITEM CODE	22770 30010	

INCLUDED EQUIPMENT SET

MANDRELS & ANVILS	6-32UNC, 8-32UNC, 10-24UNC, 10-32UNF, 1/4-20UNC, 5/16-18UNC	
QUICK CHANGE BATTERY	18 V Li-Ion / 2.0 Ah / 36 Wh	
CHARGER	18 V Li-Ion	
ABS CASE	14.96" x 11.81" x 3.15"	38 x 30 x 8 cm

METRIC EQUIPMENT SET

MANDRELS & ANVILS	M3, M4, M5, M6, M8	
ITEM CODE	2277039910	





18V



BRUSHLESS MOTOR



GO-RN1 - LITHIUM-ION CORDLESS RIVET NUT TOOL




DELIVERED WITH:



WATCH VIDEO HERE:



GO-RN2 - LITHIUM-ION CORDLESS RIVET NUT TOOL



RIVETING CAPACITY FOR BLIND RIVET NUTS

10-24 ~ 1/2-13UNC

All Materials



WEIGHT	3.30 lbs	1.5 kg
L x H	11.49" x 10.23"	292 x 260 mm
STROKE ADJUSTABLE FROM / UP TO	.01" - .35"	0.3 - 9.0 mm
PULLING FORCE	6070 lbf	27.0 kn
MATERIAL	PE	
ITEM CODE	22770 30020	



INCLUDED EQUIPMENT SET

MANDRELS & ANVILS	10-24UNC, 10-32UNF, 1/4-20UNC, 5/16-18UNC, 3/8-16UNC, 1/2-13UNC	
QUICK CHANGE BATTERY	18 V Li-Ion / 2.0 Ah / 36 Wh	
CHARGER	18 V Li-Ion	
ABS CASE	14.96" x 11.81" x 3.15"	38 x 30 x 8 cm



METRIC EQUIPMENT SET

MANDRELS & ANVILS	M5, M6, M8, M10, M12
ITEM CODE	2277039920



18V



BRUSHLESS MOTOR



GO-RN2 - LITHIUM-ION CORDLESS RIVET NUT TOOL




DELIVERED WITH:



WATCH VIDEO HERE:



GO-SN1 - LITHIUM-ION CORDLESS RIVET NUT TOOL



RIVETING CAPACITY FOR BLIND RIVET NUTS

10-24 ~ 3/8-16UNC

All Materials



WEIGHT	3.52 lbs	1.6 kg
L x H	11.89" x 10.23"	302 x 260 mm
STROKE ADJUSTABLE FROM / UP TO	.15" - .61"	4.0 - 15.6 mm
PULLING FORCE	4721 lbf	21.0 kn
MATERIAL	PE	
ITEM CODE	22770 50010	



INCLUDED EQUIPMENT SET

MANDRELS & ANVILS	10-24UNC, 10-32UNF, 1/4-20UNC, 5/16-18UNC, 3/8-16UNC	
QUICK CHANGE BATTERY	18 V Li-Ion / 2.0 Ah / 36 Wh	
CHARGER	18 V Li-Ion	
ABS CASE	14.96" x 11.81" x 3.15"	38 x 30 x 8 cm



METRIC EQUIPMENT SET

MANDRELS & ANVILS	M5, M6, M8, M10
ITEM CODE	2277059910



18V



BRUSHLESS MOTOR



GO-SN1 - LITHIUM-ION CORDLESS RIVET NUT TOOL



DELIVERED WITH:




WATCH VIDEO HERE:





GO-400 - LITHIUM-ION CORDLESS TOOL FOR PIN & COLLAR



CAPACITY FOR PIN & COLLAR
ø 3/16" up to 1/4"
ø 4.8 up to 6.4 mm
All Materials



WEIGHT	3.70 lbs	1.68 kg
L x H	11.42" x 11.22"	290 x 285 mm
STROKE	.83"	21 mm
PULLING FORCE	4500 lbf	20.0 kn
MATERIAL	PE	
ITEM CODE	22660 40102	



INCLUDED EQUIPMENT SET

NOSE PIECES (*ACCORDING "C6L"-STANDARD)	1/4"	6.4 mm
QUICK CHANGE BATTERY	14.4 V Li-Ion / 4.0 Ah / 57.6 Wh	
CHARGER	14.4 V Li-Ion	
ABS CASE	1.48" x 1.15" x .36"	45 x 35 x 11 cm



OPTIONAL PARTS

NOSE ASSEMBLY (*ACCORDING "C6L"-STANDARD)	3/16"	4.8 mm
ITEM CODE	2266000110	
NOSE ASSEMBLY (*ACCORDING "MULTI-GRIP"-STANDARD)	3/16"	4.8 mm
ITEM CODE	2266000109	
NOSE ASSEMBLY (*ACCORDING "MULTI-GRIP"-STANDARD)	1/4"	6.4 mm
ITEM CODE	2266000108	

Subject to modifications




18V



BRUSHLESS MOTOR



GO-LB1 - LITHIUM-ION CORDLESS TOOL FOR PIN & COLLAR



CAPACITY FOR PIN & COLLAR

ø 3/16" up to 1/4"

ø 4.8 up to 6.4 mm

All Materials



WEIGHT	3.30 lbs	1.5 kg
L x H	9.65" x 10.24"	245 x 260 mm
STROKE	.62"	16 mm
PULLING FORCE	5170 lbf	23.0 kn
MATERIAL	PE	
ITEM CODE	22770 40010	



INCLUDED EQUIPMENT SET

QUICK CHANGE BATTERY	18 V Li-Ion / 2.0 Ah / 36 Wh	
CHARGER	18 V Li-Ion	
ABS CASE	1.24" x 0.98" x .26"	38 x 30 x 8 cm

OPTIONAL PARTS

NOSE ASSEMBLY (*ACCORDING "C6L"-STANDARD)	3/16"	4.8 mm
ITEM CODE	2266000110	
NOSE ASSEMBLY (*ACCORDING "C6L"-STANDARD)	1/4"	6.4 mm
ITEM CODE	2266000174	
NOSE ASSEMBLY (*ACCORDING "MULTI-GRIP"-STANDARD)	3/16"	4.8 mm
ITEM CODE	2266000109	
NOSE ASSEMBLY (*ACCORDING "MULTI-GRIP"-STANDARD)	1/4"	6.4 mm
ITEM CODE	2266000108	

Subject to modifications

GO-LB1 - LITHIUM-ION CORDLESS LOCKBOLT TOOL



DELIVERED WITH:



*Nose Assemblies Sold Separately

Multi Lockbolt:
Ø 3/16" & 1/4"



Lockbolt with 6 grooves:
Ø 3/16" & 1/4"



WATCH VIDEO HERE:






18V



BRUSHLESS MOTOR



GO-HX1 - LITHIUM-ION CORDLESS HEX CUTTER TOOL



RIVETING CAPACITY FOR BLIND RIVET NUTS

10-24 ~ 3/8-16UNC

All Materials



WEIGHT INCL. BATTERY	3.30 lbs	1.5 kg
L x H	10.43" x 10.24"	265 x 260 mm
STROKE	.79"	20 mm
PULLING FORCE	3600 lbf	16.0 kn
MATERIAL	PE	
ITEM CODE	22770 60010	



INCLUDED EQUIPMENT SET

*Nose Assemblies Sold Separately

QUICK CHANGE BATTERY	Li-Ion 18 V / 2.0 Ah	
CHARGER	18 V Li-Ion	
ABS CASE	1.24" x 0.98" x .26"	38 x 30 x 8 cm

PROCESS



1.

2.



GO-NUT



GO-NUT

3.

	AL	ST	SS
M5	≤ 2,5mm	≤ 1,5mm	≤ 1,5mm
10-24UNC/10-32UNF	≤ 0,1"	≤ 0,06"	≤ 0,06"
M6	≤ 5mm	≤ 3mm	≤ 2,0mm
1/4-20UNC	≤ 0,2"	≤ 0,12"	≤ 0,08"
M8	≤ 5mm	≤ 3mm	≤ 2,0mm
5/16-18UNC	≤ 0,2"	≤ 0,12"	≤ 0,08"
M10	≤ 5mm	≤ 3mm	≤ 2,0mm
3/8-16UNC	≤ 0,2"	≤ 0,12"	≤ 0,08"

Subject to modifications

GO-HX1 - LITHIUM-ION CORDLESS RIVET NUT TOOL



DELIVERED WITH:



*Nose Assemblies Sold Separately



WATCH VIDEO HERE:

